

CERTIFICATE OF ANALYSIS

27, Jeyakgongdan 1-gil, 46, Jeyakgongdan 2-gil, Hyangnam-eup, Hwaseong-si, Gyeonggi-do, Korea
 TEL+82-31-353-6070 FAX+82-31-353-6077 http://www.cosmax.com

Name of Product		ID.AZ DERMASTIC FOAMING CLEANSER			
Test No	21P147353	Batch No	AFW	Date of Test	2021-07-15
Amount Manufactured	477,200 G	Packaging Unit	150 ml	Sampling Q'TY	5 EA
Date of Manufacturing	2021-06-18	Packaging Date	2021-07-15	Method of Sampling	Random
Test Item	Specification	Result	Remark		
Appearance	Same as Standard (Transparent liquid with little viscosity)	Conforms	CSTM-CMIS C-003		
Color	Same as Standard (pale yellow)	Conforms	CSTM-CMIS C-002		
Odor	Same as Standard	Conforms	CSTM-CMIS C-001		
Texture	Same as Standard	Conforms	CSTM-CMIS C-003		
Specific Gravity	1.00 ~ 1.06	1.030	KFCC		
pH	8.20 ~ 9.20	8.500	RSSC		
Stability	Incubator 4,25,37,45 deg C. 3 days stable	Conforms	CSTM-CMIS C-011		
Packaging materials Appearance	Same as Standard	Conforms	CSTM		
Microorganism1(Total Count)	Total Count (Bacteria+Yeast&Mold) : <100cfu/g(ml)	0	CSTM : CMIS F-002(1)		
Microorganism2(Pathogen)	E.coli, S.aureus, P.aeruginosa, C.albicans. *Gram negative	Undetected	CSTM : CMIS F-002(1)		
Contents	More than 97%	152	RSSC		
Description	Same as Standard	Conforms	Korean Cosmetic Law		
Check foreign materials	Within Range	Conforms	CSTM		
Opinion of Test :	* KSCI : Korea Standard of Cosmetic Ingredients		* CSTM : Cosmax Standard Test Method		
Date Of Judgement	Judgement		Approved By Q.A DIRECTOR		
2021-07-18	Conforms				